

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"5793250".pn. and (phase near5 offset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:13
S3	1926	(phase adj2 distortion).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:14
S2	2	"5793250".pn. and distort\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:14
S7	644	(phase adj2 distortion).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:17
S5	0	(phase adj2 distortion).in. and pll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:17
S4	44	(phase adj2 distortion).ab. and pll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:17
S8	3	(phase adj2 distortion).clm. and facsimile.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:18
S9	24	((select\$5 or choos\$5) near3 (angle or phase)).clm. and facsimile.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:23
S11	16	((select\$5 or choos\$5 or determin\$5 or designat\$5) near3 (angle or phase)).clm. and facsimile.clm. and (first near3 (point or angle or phase)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:24
S10	8	((select\$5 or choos\$5) near3 (angle or phase)).clm. and facsimile.clm. and (first near3 (point or angle or phase)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:24
S14	1	"826074".ap. and "360"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:35
S13	0	"826074".ap. and "s360"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:35
S6	0	(phase adj2 distortion).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:35

EAST Search History

S12	13	((select\$5 or choos\$5 or determin\$5 or designat\$5) near3 (angle or phase)).clm. and facsimile.clm. and (first near3 (point or angle or phase)).clm. and (second near3 (point or angle or phase)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:41
S17	15	("3993862").URPN.	USPAT	OR	ON	2007/02/15 11:50
S19	0	"3993862".pn. and offset\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:51
S18	1	"3993862".pn. and rotat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:51
S22	2	"3993862".pn. and (receiv\$5 near5 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:55
S24	0	"3993862".pn. and ((select\$5 or choos\$5 or determin\$5) near3 (three))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:56
S21	1	"3993862".pn. and ((select\$5 or choos\$5 or determin\$5) near3 (angle or phase))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:56
S25	1	"3993862".pn. and zero adj2 phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:57
S23	1	"3993862".pn. and (receiv\$5 near5 signal) same (signal with (angle or phase))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:57
S27	0	"3993862".pn. and compensat\$5 near2 phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 12:14
S26	1	"3993862".pn. and adjust\$5 near2 phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 12:14
S20	1	"3993862".pn. and recover\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 12:14
S28	1	((select\$5 or choos\$5 or determin\$5 or designat\$5) near3 (angle or phase)).clm. and facsimile.clm. and (first near3 (point or angle or phase)).clm. and (second near3 (point or angle or phase)).clm. and (channel same recover\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 12:19
S16	3	((select\$5 or choos\$5 or determin\$5 or designat\$5) near3 (angle or phase)).clm. and facsimile.clm. and (first near3 (point or angle or phase)).clm. and (second near3 (point or angle or phase)).clm. and (channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 12:19

EAST Search History

S29	1	"244235".ap. and re-shap\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 15:35
S30	1	"244235".ap. and profile.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:02
S15	1	((select\$5 or choos\$5 or determin\$5 or designat\$5) near3 (angle or phase)).clm. and facsimile.clm. and (first near3 (point or angle or phase)).clm. and (second near3 (point or angle or phase)).clm. and (recover\$5 with channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 09:54
S31	4977	358/400,405,406,409,411,412,435,438,443,447,500.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 09:56
S34	20558	375/147,229,231,232,316,322,326,222,344,354,136,340,332,227,329,362,325,226,317-321,323-324,261,327,328,279,330,331,280,333-337.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:02
S37	5482	370/314,276,215,516,483,252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:18
S35	2454	382/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:18
S41	2	S40 and ((receiv\$5 or input\$5) near4 (signal) with (first or second or plural\$5 or multiple or diverse or dual) with (point or angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:22
S42	2	S40 and ((receiv\$5 or input\$5) with (first or second or plural\$5 or multiple or diverse or dual) with (point or angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:23
S43	6	S40 and ((receiv\$5 or input\$5) with (first or second or plural\$5 or multiple or diverse or dual or constellation) with (point or angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:24
S44	1	S43 and ((select\$5 or choos\$5 or designat\$5) near5 (angle or point) near5 (offset\$5 or phase or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:25
S39	245	(recover\$5 same (channel)) and ((fax or facsimile) near3 receiv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:25
S48	6	(S31 or S34 or S35 or S37) and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:26

EAST Search History

S47	39	(recover\$5).clm. and ((fax or facsimile) near3 receiv\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:26
S46	3	(recover\$5 same (channel)).clm. and ((fax or facsimile) near3 receiv\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:26
S40	44	(S31 or S34 or S35 or S37) and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:26
S45	2	S43 and ((select\$5 or choos\$5 or designat\$5 or determin\$5 or judg\$5 or discriminat\$5) near5 (angle or point) near5 (offset\$5 or phase or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:27
S51	5	(wang near3 mingjie).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:28
S50	1	S48 and ((select\$5 or choos\$5 or designat\$5 or determin\$5 or judg\$5 or discriminat\$5) near5 (angle or point) near5 (rotat\$5 or offset\$5 or phase or error)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:28
S52	1	S51 and ((select\$5 or choos\$5 or designat\$5 or determin\$5 or judg\$5 or discriminat\$5) near5 (angle or point) near5 (rotat\$5 or offset\$5 or phase or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:00
L1	358	329/308,345.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:02
L7	245	(recover\$5 same (channel)) and ((fax or facsimile) near3 receiv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:09
L6	5482	370/314,276,215,516,483,252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:09
L4	20558	375/147,229,231,232,316,322,326,222,344,354,136,340,332,227,329,362,325,226,317-321,323-324,261,327,328,279,330,331,280,333-337.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:09
L3	4977	358/400,405,406,409,411,412,435,438,443,447,500.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:09
L11	39	(recover\$5).clm. and ((fax or facsimile) near3 receiv\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:10

EAST Search History

L15	1	L14 and ((select\$5 or choos\$5 or designat\$5 or determin\$5 or judg\$5 or discriminat\$5) near5 (angle or point) near5 (rotat\$5 or offset\$5 or phase or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:11
L14	5	(wang near3 mingjie).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:11
L16	2454	382/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:13
L8	44	(L3 or L4 or L5 or L6) and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:13
L20	6	(L3 or L4 or L16 or L6 or 1) and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:14
L19	44	(L3 or L4 or L16 or L6 or 1) and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:14
L18	6	(L3 or L4 or L16 or L6) and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:14
L17	44	(L3 or L4 or L16 or L6) and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:14
L12	6	(L3 or L4 or L5 or L6) and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:14
L21	6	L19 and ((receiv\$5 or input\$5) with (first or second or plural\$5 or multiple or diverse or dual or constellation) with (point or angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:15
L13	1	L12 and ((select\$5 or choos\$5 or designat\$5 or determin\$5 or judg\$5 or discriminat\$5) near5 (angle or point) near5 (rotat\$5 or offset\$5 or phase or error)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:15
L10	1	L9 and ((select\$5 or choos\$5 or designat\$5) near5 (angle or point) near5 (offset\$5 or phase or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:15
L9	6	L8 and ((receiv\$5 or input\$5) with (first or second or plural\$5 or multiple or diverse or dual or constellation) with (point or angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:15

EAST Search History

L25	2	L21 and ((select\$5 or choos\$5 or designat\$5 or determin\$5 or judg\$5 or discriminat\$5) near5 (angle or point) near5 (offset\$5 or phase or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:18
L23	1	L20 and ((select\$5 or choos\$5 or designat\$5 or determin\$5 or judg\$5 or discriminat\$5) near5 (angle or point) near5 (rotat\$5 or offset\$5 or phase or error)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:18